

## ChromIQ Analytical Laboratory


HPLC-MS Quality Control &amp; Peptide Purity Analysis

Website: chromiq.com | Email: qc@chromiq.com

## PRODUCT DATA

Product	<b>GHK-Cu</b>	Batch	<b>GHKCU-B0166</b>
CAS	89030-95-5	Formula	C <sub>14</sub> H <sub>22</sub> CuN <sub>6</sub> O <sub>4</sub>
Appearance	Blue to blue-green powder	Mol. Wt.	401.91 g/mol
Quantity	50 mg / vial	Purity	<b>99.98%</b>
Content	50.24 mg	Analysis Method	RP-HPLC, UV 214 nm   C18, 100 × 2.1 mm, 2.7 μm   Flow: 0.40 mL/min   Gradient: 5-95% ACN over 20 min   Inj.: 10.0 μL
Analysis Conducted	2026-05-22	Principal Chemist	Dr. Marek Janowski, Ph.D.
Produced	2026-05-20	Storage	Store at -20 °C, protect from light
QC Status	PASS — conforms to specification	Report No.	CIQ-RPT-B0166

## HPLC CHROMATOGRAM



Method: RP-HPLC, UV 214 nm | C18, 100 × 2.1 mm, 2.7 μm | Flow: 0.40 mL/min | Gradient: 5-95% ACN over 20 min | Inj.: 10.0 μL

Signal: UV 214 nm Detector: DAD1B

Mobile Phase: H<sub>2</sub>O/ACN + 0.1% TFA

Dr. Marek Janowski, Ph.D.

Principal Chemist · 2026-05-22

A. Reynolds, QA Manager

Quality Assurance · 2026-05-23

This certificate applies only to the batch identified above. For laboratory and research use only — not for human or veterinary use, diagnosis, or therapeutic application. © ChromIQ Analytical Laboratory · chromiq.com